

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

DERWENT-ACC-NO: 2000-558544

DERWENT-WEEK: 200324

COPYRIGHT 1999 DERWENT INFORMATION LTD

TITLE: Registration management method involves submitting users registration information that is compiled based on stored registration data of websites, personal data of user, to the website requested by user

INVENTOR: BYRN, M; GLADSTONE, B ; HUNT, J ; KALAHHER, P ; LIDWELL, P ; MOILANEN, E ; MORRIS, K

PRIORITY-DATA: 1999GB-0004791 (March 2, 1999)

PATENT-FAMILY:

PUB-NO	PUB-DATE	LANGUAGE	PAGES	MAIN-IPC
AU 756650 B	January 16, 2003	N/A	000	H04L 029/06
<u>WO 200052900 A1</u>	September 8, 2000	E	034	H04L 029/06
AU 200029246 A	September 21, 2000	N/A	000	H04L 029/06
EP 1163773 A1	December 19, 2001	E	000	H04L 029/06
JP 2003503767 W	January 28, 2003	N/A	038	G06F 017/60

INT-CL (IPC): G06F015/00, G06F017/60 , H04L012/22 , H04L029/06

ABSTRACTED-PUB-NO: WO 200052900A

BASIC-ABSTRACT:

NOVELTY - Request is sent to registration agent computer (4), when particular user wants to register with particular website, to compile registration information of user based on details stored for corresponding website and user. Registration information of user is submitted to website required by user.

DETAILED DESCRIPTION - Registration agent computer (4) connected to network, stores registration details for all websites (31,32) and personal details of all Internet users (1). The computer network utilizes Internet protocol. The website and registration agent computer are connected to Internet (2) or intranet. The registration agent computer is a world wide web server and operates a world wide website. Before the user requesting the registration agent computer to submit the application to website and users registration with particular registration agent computer is verified by entering the user name and password. The registration agent computer submits registration application of user to website, and the user visits the website repeatedly without repetition of registration procedure . Different unique proxy address is provided for user when user is registered to different website and hence communication addressed to the user is received by registration agent computer and then forwarded to user. **INDEPENDENT CLAIMS** are also included for the following:

- (a) apparatus for managing registration of user;
- (b) computer system for managing registration of user with remote computer system;

(c) user interface and execution system;

(d) method of registering with service computer systems;

(e) method of registering user at client node of communication network

USE - For registration of Internet users at websites.

ADVANTAGE - Since the registration agent computer is used as an intermediate between Internet users and websites, the Internet users can register with website easily and bogus information entered by users due to reasons such as mistrust of security, subsequent use of data, or due to user forgetting registration details can be avoided and data storage cost of site owners is reduced. Provides registration agent site which presents simple intermediary between sites and Internet users, thus user can register with new sites automatically and moves between registered sites via single interface, whilst allowing changes in profile information via same interface. Assists Internet users to complete registration forms for websites by proxy. User does not have to retype information, can have different profiles, can automatically check privacy policies, can review what data has been given out and to whom and can protect E-mail address. Allows users to selectively cut spammers off without changing E-mail address. Allows users to identify which sites are giving their E-MAIL addresses to third parties which use it for spam.

DESCRIPTION OF DRAWING(S) - The figure shows the schematic diagram showing Internet users computer connected to world wide web.

Internet users 1

Internet 2

Registration agent computer 4

Websites 31,32

Derwent Accession Number - NRAN (1):

2000-558544

Document Identifier - DID (2):

WO 200052900 A1



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁷ : H04L 29/06, 12/22	A1	(11) International Publication Number: WO 00/52900 (43) International Publication Date: 8 September 2000 (08.09.00)
(21) International Application Number: PCT/GB00/00748 (22) International Filing Date: 2 March 2000 (02.03.00) (30) Priority Data: 9904791.2 2 March 1999 (02.03.99) GB (71) Applicant: OBONGO LIMITED [GB/GB]; Elsley House, 24-30 Great Titchfield Street, London W1P 7AD (GB). (72) Inventors: HUNT, John; Obongo Inc., 955 Charter Street, Redwood City, CA 94603 (GB). GLADSTONE, Ben; Obongo Inc., 955 Charter Street, Redwood City, CA 94063 (US). MORRIS, Kief; Obongo Inc., 955 Charter Street, Redwood City, CA 94063 (US). KALAHAR, Patrick; Obongo Inc., 955 Charter Street, Redwood City, CA 94063 (US). BYRN, Mark; Obongo Inc., 955 Charter Street, Redwood City, CA 94063 (US). MOILANEN, Esa; Obongo Inc., 955 Charter Street, Redwood City, CA 94063 (US). LIDWELL, Peter; Obongo Inc., 955 Charter Street, Redwood City, CA 94063 (US). (74) Agent: ELKINGTON AND FIFE; Prospect House, 8 Pembroke Road, Sevenoaks, Kent TN13 1XR (GB).		(81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG). Published <i>With international search report.</i> <i>Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i>
(54) Title: AN INTERNET INTERFACE SYSTEM <pre> graph TD Internet((Internet)) --- User[Internet user 1] Internet --- WS1[Web site 31] Internet --- WS2[Web site 32] Internet --- Reg[Registration agent web site 4] </pre> (57) Abstract <p>The present invention provides a registration agent site (4) which presents a simple intermediary between sites (3) and internet users (1) that acts a single source of data entry, user name and password for users. This allows users to register with new sites automatically and move between registered sites via a single interface, whilst allowing changes in profile information via the same interface. The registration agent site (4) acts as the agent for the internet user (1) rather than the site owner, allowing registration by proxy in a manner which is transparent to other sites. The agent negotiates connectivity and connects the user.</p>		

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece			TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	NZ	New Zealand		
CM	Cameroon			PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakhstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

AN INTERNET INTERFACE SYSTEM

Field of the Invention

The present invention relates to the registration of internet users at websites.

Background to the Invention

5 Before using many websites, internet users need to fill in an often cumbersome registration form providing personal data. Site owners require this information for marketing purposes and to personalise the offering to customers. Registration demands can range from the basic requirement of a name and email address to a detailed request for personal information including street address, employment details
10 and even salary levels. This process gives rise to a number of problems for users. Registration is often slow and not intuitive, with an additional problem that formats differ from site to site. Once registered with more than one site, users also have the problem of keeping track of the different user names and passwords that they use. When a user's information changes (email, addresses etc.) the management of multiple
15 registrations becomes unwieldy. Furthermore, users have little or no control of information released to sites which can on-sell the personal data leading to both a breach of individual privacy and, perhaps inevitably, an accompanying barrage of unwanted direct marketing emails or "spam".

A typical internet user may be registered with between four and ten sites and would
20 probably register with one new site each month. The greater these numbers the more serious the problem becomes. New users and sites are coming to the internet at exponential rates of growth so this problem can only get worse.

- Though necessary for their business model, registration also poses a major problem to site owners. Users quite often enter bogus information (often several times having forgotten their password and thus having to register anew), which is of no use to site owners whilst bearing a data storage cost. Bogus information is entered for a number of reasons: frustration with the speed of the registration process, a general mistrust of the security and subsequent use of the data, or simply because the user has forgotten the previous registration details. Indeed, as much as 50% of all consumer data held by major sites on the internet is estimated to be false. Even genuine registration data becomes inaccurate over time if it is not up-dated.
- Another problem is that users frustrated with the registration process will stop before completion so that the site loses a new potential customer. It is estimated that over 50% of potential users are lost due to aborted registrations.

Summary of the Invention

- According to a first aspect of the present invention, in an arrangement comprising at least one computer network connecting at least one personal computer to at least one service computer, the personal computer being associated with at least one user, a method for managing the registration of the user with the at least one service computer, the method comprising the steps of:
- gathering registration data for the at least one service computer;
 - storing the registration data in at least one data structure on at least one registration agent computer connected to the computer network;
 - gathering personal data for the user;

storing at least part of the personal data in at least one data structure on at least one registration agent computer connected to the computer network; and,
in response to a request from the user to a registration agent computer connected to the computer network to register the user with the at least one service computer,
5 submitting an application to register the user with the at least one service computer by transmitting registration information from at least one registration agent computer to the service computer, the registration information being compiled from data obtained by accessing the users personal data stored in the associated data structure and by accessing registration data for the service computer stored in the associated data
10 structure.

The service computer may be a product-provider and/or an information-provider.

According to a second aspect of the present invention, in a method for registering a user at a client node of a communications network with at least one server node connected to the communications network by the use of at least one registration agent
15 server node connected to the communications network which stores personal data associated with the user together with registration data associated with the at least one server node, the method comprising the steps of registering the user with the at least one server node in response to a user request received at the registration agent server node by completing and transmitting on behalf of the user a registration application
20 from the registration agent server node to the at least one server node based on the personal data associated with the user and the registration data associated with the at least one server node.

Preferably, the computer or communications network utilises an internet protocol.

Preferably, each of the service computer or server nodes is a website having a server connected to an internet or intranet. Preferably, the at least one registration agent computer or registration agent server node is connected to an internet, intranet or internet protocol (IP) network.

- 5 Preferably, the at least one registration agent computer or registration agent server node is a World Wide Web server.

Preferably, the at least one registration agent computer or registration agent server node operates a World Wide Web site.

- Preferably, the step of transmitting an application to register the user is preceded by
10 the step of verifying a user identification and more preferably, a password, entered by the user which identifies the user with respect to the associated personal data.

- Preferably, the method includes the steps of storing personal data in the form of a master user profile data structure which uniquely describes the user, together with a number of personal registration data structures, each of which describes registration
15 data associated with the successful registration of the user with a service computer or server node. The personal registration data structures permit repeat visits to the service computer or server node without the user having to go through the registration procedure again.

- Preferably, the method includes the step of accepting user inputs which define a
20 privacy policy in relation to the user's personal data which describes the extent to which the personal data is to be released for the purpose of submitting a registration application.

Preferably, the method includes the step of providing a unique proxy address for the user in a registration application so that communications addressed to the user using the unique address are received by the at least one registration agent computer or registration agent server and are subsequently forwarded to the user. More preferably, 5 the communications are forwarded to the user in dependence on an email filtering policy accepted by the user. Most preferably, a different proxy address for the user is allocated for each subsequent registration with other service computers or server nodes.

According to a third aspect of the present invention, an apparatus for managing the 10 registration of a user in accordance with either one of the first and second aspects of the present invention, comprises:

- means for storing registration data;
 - means for storing personal data;
 - means for receiving a user request to submit a registration application on behalf of the 15 user to a remote site;
 - means for completing a registration application based on a combination of personal data associated with the user and registration data associated with the remote site; and,
 - means for transmitting a completed registration application to the remote site on behalf of the user.
- 20 Preferably, the apparatus comprises a computer storage medium containing computer executable instructions for performing the method of either one of the first and second aspects of the present invention. More preferably, the apparatus comprises a server.

Most preferably, the server is arranged to provide a website having a unique resource locator (URL).

In one example, the present invention provides a registration agent site which presents a simple intermediary between sites and internet users that acts a single source of data entry, user name and password for users. This allows users to register with new sites automatically and move between registered sites via a single interface, whilst allowing changes in profile information via the same interface. The registration agent site acts as the agent for the internet user rather than the site owner, allowing registration by proxy in a manner which is transparent to other sites. The agent negotiates connectivity and connects the user.

In terms of the internet user, the benefits of using the interface provided by the registration agent site can be summarised as follows: the interface provides a convenient way of navigating between sites since it is necessary to remember only one password; the interface provides an effortless way of registering with new sites; it offers the ability to effect a global change across sites; it provides for the control of privacy by allowing the user to define a privacy policy; and, it allows for the integration of email filtering by proxy to prevent "spamming".

The registration agent site provides a central repository of all personal information that an individual internet user is, at least to some extent, prepared to give out to sites in order to register with the site. Personal details particular to each site registration are stored as well as a master profile of all personal information. This information can be recalled and modified via the interface. Accordingly, the user of the interface will know what personal information has been given out and to whom as well as the

totality of information given out to all sites. Users are able to impose specific controls on how their personal information is used to register with a site including the complete prohibition of the use of certain information, provided this does not conflict with a site's registration requirements. If there is a conflict, the interface allows this to be
5 resolved by deferring to the user for a final decision.

In summary, the service that the interface of the registration agent site provides is one of assisting internet users to complete registration forms for websites by proxy, and logging into their sites on repeat visits. The user does not have to retype information, can have different profiles, can automatically check privacy policies, can review what
10 data has been given out and to whom, and can protect their email address. Indeed, a key component of helping users control their interaction with sites is to protect their email address from being abused by the sites they give it to. The present invention offers the option to give protected email addresses to sites when a user registers through the interface. The site does not receive the users real address, but is instead
15 given a unique proxy address (a different one for each site). Email sent to that address is forwarded to the users email account. This allows users to selectively cut "spammers" off without having to change their email address. It also allows users to identify which sites are giving their email addresses to third parties which use it for "spam".

Brief Description of the Drawings

An example of the present invention will now be described in detail with reference to the accompanying drawings, in which:

Figure 1 is a simplified schematic diagram showing an internet user's computer
5 connected to the World Wide Web;

Figure 2 is a simplified block diagram of an example of a registration agent website server;

Figures 3 and 4 show an example of an internet user registering with a website; and,

Figures 5 and 6 show an example of an internet user transferring registration
10 information for a number of websites to a registration agent website.

Detailed Description

Figure 1 is a simplified schematic diagram showing an internet user's computer 1 connected to the World Wide Web 2. The internet user's computer 1 uses web browsers to navigate the World Wide Web to access desired services, known as
15 websites 3. Many websites require an internet user to register at the website, wherein the user is required to establish a user identification and optionally a password for the website. Typically, the user is also asked to provide other personal information, not all of which is mandatory. The present invention provides a registration agent site (RAS)
4, in this example a web server, which presents a simple intermediary between sites
20 and internet users that acts as a single source of data entry, username and password for users. The invention allows users to register with new sites automatically and move

between registered sites via a single interface, whilst allowing changes in profile information via the same interface. The interface acts as the agent for the internet user rather than the site owner, allowing registration by proxy.

Figure 2 is a simplified block diagram of an example of a registration agent site 10.

5 The web server includes a registration processing system 11 which controls the steps of lodging a registration with websites on behalf of internet users who are registered members of the registration agent site. The server stores user profiles in a user database 12 which represent a master profile of all personal information, including a privacy policy, and personal details particular to each website where the user has
10 registered to date. Each website that is affiliated with the registration agent site is represented in a registration profile database 13 where details of the site registration requirements, including the registration forms used by the website, are stored.

The core service provided by the registration agent site 10 is one of assisting users to fill out forms on websites, primarily targeted towards registering with new sites and
15 logging into sites on repeat visits. The user does not have to retype information, can have different profiles, can automatically check privacy policies, can review what data they gave out and to whom, and can protect their email address. The system does not require any plug-ins or software downloads, and is browser independent.

The registration processing system 11 is responsible for submitting user data to a site's
20 registration system. This involves the following functionality:

1. analysing the site's data requirements and forms handling system (in other words, what data do they want from the user and how does their registration system work?);

2. determining the site's data privacy policies;
3. marshalling the appropriate user data;
4. identifying and resolving conflicts between the user's
privacy preferences and the site's policies;
5. providing the data to the sites; and,
6. storing information about the transaction.

The functionality and data requirements can be divided into three sections: interfacing with target sites, managing and using data, and interfacing with the users.

When a user wants to fill out a form on a site, the registration agent site 10 must marshal the appropriate user data and provide it to the target site. This implies two core parts of the interface: determining what data the site needs and supplying the data to the site.

A simple way to supply data to sites is to submit it directly to the site's own forms processing applications in the format it expects it. This involves making an HTTP GET or POST request to the uniform resource indicator (URI) to which the site's own HTML forms submit their data. Alternatives include using JavaScript to fill the site's form or proxying form submission. In the latter, the registration processing system acts as an HTTP client, connects to the target site's webserver and submits the form. Moreover, preferably, the registration processing system 11 uses a process which emulates the normal registration by a user by providing a form which duplicates the data submission of the site's own form. The registration processing system 11 generates an HTML page which is dynamic and which contains a form with all of the

relevant data fields of the site's own form. The target for this form submission is the same URI which the site's form submits to.

Any system for submitting data to a site on behalf of a user will need certain information about the site and its form system, which is termed Site Data Requirements (SDR). A given site's SDR is stored in the registration profile database 13, and needs to include at least some of the following information:

1. what forms are on the site?
2. what are the site's data privacy policies? Is there any relevant third party auditing or accreditation?
- 10 3. for each form, what URI is the form submitted to?
4. for each form, what data fields are needed?
5. for each data field, is the data contained in the user profile, and if so, which field of the profile?
- 15 6. for each data field, if the data is not contained in the user file, what description should be shown to the user to explain what is needed?
7. for each data field, what values are acceptable as input?
This includes whether the field is required or optional;
- 20 8. for each data field, what name is it given by the site's forms processing system? and,
9. for each data field, is the user's data going to be unique to this site, for example user name and password, as opposed to something which can be the same on all sites, such as postal code?

SDRs can be determined in a number of ways. In one example, an individual must first analyse the sites to determine the requirements and enter the information into the registration profile database 13. It would then be possible to update the stored data to take account of any changes which subsequently occur. This update may be implemented automatically. In another example, it may be possible to interrogate the site automatically in an intelligent fashion to determine the SDR. Affiliated sites may also cooperate by embedding encoded information into their HTML forms to allow the SDRs to be determined automatically by the registration processing system.

The user profile database 12 stores a collection of data for each user. A user is able to view all data maintained about them as an individual and normally no one else has access to this without the express permission of the user.

The user profile file structure includes personal preferences data which is used as part of the interaction with the registration agent site and includes the user name and password, as well as information for customisation of the user interface. This information is not available to sites.

The user profile file structure also includes privacy preferences data which describe the policies the user would like a site to have if their data is to be given to the site by the registration agent site. This covers general policies for the site, whether or not the site's policies are certified, and also links policy choices to individual fields of the user personal data (described below). This linking allows users to specify that some data is more sensitive than others, so a site which only asks for low sensitivity data is not expected to have as rigorous a data privacy policy as a site which wants more sensitive data.

As mentioned above, the user profile file structure also includes personal data which is available to sites the user chooses to register with (although the data is still subject to the privacy settings described above). The registration agent site 10 stores a core profile which is a set of data fields required by more than one site. Users can have
5 more than one set of core profile data which allows them to maintain a set of different "personalities", for example one for a work address and one for a home address.

Other personal data can be stored in site-specific user profiles forming part of the user profile file structure. These may consist of data which the user has supplied to a particular site, but which is not used for other sites. Examples include a user name and
10 password for a site, or preference data specific to one site.

The registration processing system 11 also allows users the option to give "protected" email addresses to sites rather than their normal address. When a site requests the user's email address, the interface generates a new address in a mail domain and supplies that to the site. Email to the address is forwarded by the registration agent's
15 system to the user's real email address, including a header indicating which site it originated from. Mail is not stored by the system, merely forwarded. The user can disable a protected address to prevent unwanted mail from reaching them.

The web server which supports the registration processing system and associated databases includes a server platform with appropriate hardware and an operating
20 system, mail serving software, and a hosting service. The databases may be provided on the same machine or from a remote source which is networked to the web server.

A user can be introduced to the registration agent site 10 by navigating directly to the associated URL, from an affiliated site where they are registering for the first time

(they are presented with a registration button which provides a link to the registration agent site), or from an affiliated site where they are already registered (where again they are presented with a registration button). In the latter case, the user is prompted by the registration agent site 10 to provide their existing user name and password for the site either before or after registering with the registration agent.

When registering for the first time with the registration agent site 10, the user is presented with a form generated dynamically to gather the minimum information they need, given the circumstances. Core information required to sign up a new member includes the user's email address (which is subsequently verified). The new member chooses a username and password which is required on all subsequent visits to the registration agent site. If the new member is registering with a new site at this time, the user is presented with a form which sets out the information that the site will want for registration. The user is also presented with the option of filling out data fields required by most affiliated sites which will make signing up with new sites faster next time.

The information may be grouped into different categories, for example:

1. basic information (name, email address);
2. professional contact information (work address and phone number, etc);
3. personal contact information (home address, etc);
4. profession demographics (job title, etc); and,
5. personal demographics (size of family, hobbies, interests, dislikes, etc).

For each information group, the user chooses an information policy, which tells the registration agent site 10 when and to whom the information in that category can be given out. In this example, the choices are colour coded similar to traffic light colours. Green data is data that can be given out to any site the user wishes to register with.

5 Yellow data can be given to a site which matches certain criteria the user sets. Red data will not be given out at all by the registration agent site, unless the user specifically agrees to it at the time the data is requested. The user can choose the circumstances under which the data they tag as yellow can be given to sites they register with. For example, the user may specify that the site must have certain data

10 handling policies in place and perhaps that these policies must be verified by an independent agency.

As described above, there are a number of ways that an internet user can become a member of the registration agent site 10 and some examples of these will be described below. Throughout, the registration agent site and the interface it provides shall be

15 referred to as "RAS".

In Figures 3 and 4, it is assumed that the internet user has navigated the World Wide Web using a web browser (step 100 or 200) to arrive at the login page of a website (referring site), of which they are not already a member, but which is affiliated with the RAS and provides a button or other icon with a URL to the RAS web server. The

20 user is not already a member of the RAS. The user clicks on the RAS button appearing on the login page and a pop-up window appears and the browser window of the referring site goes behind. In step 101 or 201 the user completes the new member section of an entry page, giving a username, password, email address and language.

The user then selects an option that says that they are not already a member of the referring site and clicks on an "enter" button. A new page then appears in step 102 or 202 requesting additional information that is necessary for the user to actually register with the referring site. The site requirements are determined by accessing the registration profile database 13. A master user profile for the new member is created and stored in the user profile database 12, together with a personal profile for the new registration. Once the user has provided the additional information, they click "enter" and the user's new home page for the RAS appears (in step 203) showing the referring site as a registered site and a separate list suggesting other affiliated sites where the user may wish to register. The RAS pop-up window is then hidden behind the referring site window, which itself changes to the page showing that the user has successfully registered with the site.

In future, it is possible to logon to the same website by navigating directly to the RAS website (by typing the address for the registration agent site, assigning a bookmark or clicking on an advertisement banner), and then clicking on the listed entry for the site on the user's home page. Alternatively, the user can navigate directly to the website itself, click on the RAS button, and logon via the RAS website.

In each of the above cases, whether the procedure be a simple logon or a new registration, it is preferred that the process is entirely transparent to the website of interest in the sense that it is wholly unaware of the involvement of an intermediary.

In Figures 5 and 6, the internet user is already a member of both the RAS and a particular website (referring site). Again, the user is assumed to have navigated (in step 300 or 400) to the logon page of the referring site using their web browser, but is

seeking a more convenient way to sign in to the website. In step 301 or 401 the user clicks on the RAS button and a RAS pop-up window appears over the browser window of the referring site. The user enters their username and password for the RAS and selects the option that says that they are already a member of the referring
5 site. The user then clicks "enter" and a new page appears with a request for the user's current login details for the referred site. In step 302 or 402 the user enters their current login details for the referring site and then clicks the "enter" button. The user's RAS home page then appears showing the referring site as a registered site (in step 403). A personal profile for this site is created and stored in the user's profile database
10 12 for future use.

In the example shown in Figure 6, the internet user decides to repeat the process in steps 405 and 406 for other sites which they are members of (but have registered with the sites independently of the RAS). The user switches back to the RAS window and on the home page enters the site name into a search box. The search results are
15 displayed to the user in step 405 who then selects the appropriate site and the transfer of login details process is repeated as above in step 406.

An important aspect of the present invention is that it is possible for the user to specify a privacy policy (indicated in steps 103 and 104) which may restrict to some extent information the user is prepared to provide to sites in order to complete the site's
20 registration forms. From knowledge of the registration requirements of each affiliated site (stored in the registration profile database), it is possible for the registration agent site 10 to determine whether or not a particular item of personal information is mandatory and subsequently warn a user that there is a policy clash before an attempt

to register with the site is made. A user can be given the option of making an exception in the circumstances or amending their global policy for the item of data in question.

In summary, the present invention provides a central repository of all personal information that an individual internet user is, at least to some extent, prepared to give out to sites in order to register with the site. Personal details particular to each site registration are stored as well as a master profile of all personal information. This information can be recalled and modified via the interface. Accordingly, the user of the interface will know what personal information has been given out and to whom as well as the totality of information given out to all sites. Users are able to impose specific controls on how their personal information is used to register with a site including the complete prohibition of the use of certain information, provided this does not conflict with a site's registration requirements. If there is a conflict, the interface allows this to be resolved by deferring to the user for a final decision.

CLAIMS

1. An arrangement comprising at least one computer network connecting at least one terminal to at least one service computer, the terminal being associated with at least one user, a method for managing the registration of the user with the at least one service computer, the method comprising the steps of:
 - 5 gathering registration data for the at least one service computer;
 - storing the registration data in at least one data structure on at least one registration agent computer connected to the computer network;
 - gathering personal data for the user;
 - 10 storing at least part of the personal data in at least one data structure on at least one registration agent computer connected to the computer network; and,
 - in response to a request from the user to a registration agent computer connected to the computer network to register the user with the at least one service computer, submitting an application to register the user with the at least one service computer by
 - 15 transmitting registration information from at least one registration agent computer to the service computer, the registration information being compiled from data obtained by accessing the user's personal data stored in the associated data structure and by accessing registration data for the service computer stored in the associated data structure.
- 20
2. A method for registering a user at a client node of a communications network with at least one server node connected to the communications network by the use of at least one registration agent server node connected to the communications network which stores personal data associated with the user together with registration data

associated with the at least one server node, the method comprising the steps of registering the user with the at least one server node in response to a user request received at the registration agent server node by completing and transmitting on behalf of the user a registration application from the registration agent server node to the at least one server node based on the personal data associated with the user and the registration data associated with the at least one server node.

3. A method according to claim 1 or 2, in which the computer or communications network utilises an internet protocol.

10

4. A method according to any preceding claim, in which each of the service computer or server nodes is a website having a server connected to the internet or an intranet.

15 5. A method according to any preceding claim, in which the at least one registration agent computer or registration agent server node is connected to the internet, an intranet or an IP network.

20 6. A method according to any preceding claim, in which the at least one registration agent computer or registration agent server node is a World Wide Web server.

7. A method according to claim 6, in which the at least one registration agent computer or registration agent server node operates a World Wide Web site.

8. A method according to any preceding claim, in which the step of transmitting
an application to register the user is preceded by the step of verifying a user
identification and more preferably, a password, entered by the user which identifies the
5 user with respect to the associated personal data.

9. A method according to any preceding claim, including the steps of storing
personal data in the form of a master user profile data structure which uniquely
describes the user, together with a number of personal registration data structures, each
10 of which describes registration data associated with the successful registration of the
user with a service computer or server node.

10. A method according to claim 9, in which the personal registration data
structures permit repeat visits to the service computer or server node without the user
15 having to go through the registration procedure again.

11. A method according to claim 9 or 10, including the step of accepting user
inputs which define a privacy policy in relation to the user's personal data which
describes the extent to which the personal data is to be released for the purpose of
20 submitting a registration application.

12. A method according to any of claims 9 to 11, including the step of providing a
unique proxy address for the user in a registration application so that communications
addressed to the user using the unique address are received by the at least one

registration agent computer or registration agent server and are subsequently forwarded to the user.

13. A method according to claim 12, in which the communications are forwarded
5 to the user in dependence on an email filtering policy accepted by the user.

14. A method according to claim 13, in which a different proxy address for the user is allocated for each subsequent registration with other service computers or server nodes.

10

15. An apparatus for managing the registration of a user in accordance with the method of any preceding claim, comprising:

means for storing registration data;

means for storing personal data;

15 means for receiving a user request to submit a registration application on behalf of the user to a remote site;

means for completing a registration application based on a combination of personal data associated with the user and registration data associated with the remote site; and,

20 means for transmitting a completed registration application to the remote site on behalf of the user.

16. An apparatus according to claim 15, comprising a computer storage medium containing computer executable instructions for performing the method of any one of claims 1 to 14.

17. An apparatus according to claim 14, comprising a server.
18. An apparatus according to claim 17, in which the server is arranged to provide
5 a website having a unique resource location (URL).
19. A memory for storing data comprising a data structure in said memory comprising a master user profile data structure which uniquely describes a user, together with a number of personal registration data structures, each of which
10 describes registration data associated with the successful registration of the user with a service computer or server node.
20. A computer system for managing the registration of a user with a remote computer system comprising:
- 15 a memory storing registration data associated with one or more remote computer systems;
- a memory storing personal data associated with one or more users;
- a processor configured to accept a user request to submit a registration application on behalf of the user to a remote computer system, to complete a registration application
20 based on a combination of personal data associated with the user and registration data associated with the remote computer system; and,
- to submit the completed registration application to the remote site on behalf of the user.

21. A computer system hosting a WWW site adapted to facilitate registration of users by proxy comprising a memory holding the WWW site, the WWW site having embedded encoded information to allow the WWW site's registration data requirements to be determined automatically by a registration processing system.

22. A user interface and execution system for managing registration of a user with a service computer, wherein the user interface comprises:
memory means for storing registration data requirements for the at least one service computer in at least one data structure;
personal data input means for accepting personal data relating to the user;
memory means for storing at least part of the personal data in at least one data structure; and,
processing means being operative to accept a request to register the user with the at least one service computer, to compile a registration request from data obtained by accessing the user's personal data stored in the associated data structure and by accessing registration data for the service computer stored in the associated data structure and to register the user with the at least one service computer by transmitting the registration request to the service computer.

20

23. A method of registering with a number of service computer systems comprising the steps of
visiting a WWW site hosting a registration management system;

submitting a registration application to the registration management system comprising a user identifier, password and personal data; and, instructing the registration management system to submit a registration to one or more of the service computer systems using the submitted personal data.

5

24. A method according to claim 23, further comprising the step of submitting inputs to the registration management system which define a privacy policy in relation to the user's personal data, the extent to which the personal data is released for the purpose of submitting a registration application being dependent on the privacy policy.

10

1/4

Fig.1.





Fig.2.



2/4

Fig.3.




Fig.5.






Fig.4.



4/4

Fig.6.



INTERNATIONAL SEARCH REPORT

Int. National Application No.

PCT/GB 00/00748

A. CLASSIFICATION OF SUBJECT MATTER
 IPC 7 H04L29/06 H04L12/22

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 H04L G06F

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data, PAJ, IBM-TDB, INSPEC, COMPENDEX

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	EP 0 855 659 A (LUCENT TECHNOLOGIES INC) 29 July 1998 (1998-07-29)	19-24
A	column 3, line 16 -column 5, line 4 column 8, line 44 -column 9, line 7 column 14, line 56 -column 15, line 51 figures 3,4	1-18
A	US 5 764 890 A (MCKELVIE SAMUEL J ET AL) 9 June 1998 (1998-06-09) abstract column 1, line 39 -column 2, line 3 column 3, line 7-19 column 5, line 1-44	1-18
	-/-	

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

Date of the actual completion of the international search

13 July 2000

Date of mailing of the international search report

21/07/2000

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
 NL - 2280 HV Rijswijk
 Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
 Fax: (+31-70) 340-3016

Authorized officer

Lázaro López, M.L.

INTERNATIONAL SEARCH REPORT

Int'l. Application No

PCT/GB 00/00748

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	US 5 784 463 A (CHEN JAMES F ET AL) 21 July 1998 (1998-07-21) abstract column 2, line 27 -column 3, line 29 column 4, line 1-30 column 4, line 57-67 figures 1A,1B	1-18
A	US 5 544 322 A (CHENG PAU-CHEN ET AL) 6 August 1996 (1996-08-06) abstract column 3, line 12-35 column 5, line 43-63 column 6, line 38-58 column 8, line 37-63	1-18
T	BRIAN VAUGH & JAYNE MOONEY: "How to register a workstation" ZENWOKS COOL SOLUTIONS, 28 May 1999 (1999-05-28), XP002124920 Available from Internet<URL:http://www.novel.com/cool solu tions/zenworks/basics_ws_register.html> available on 28 May 1999 the whole document	1,2,5,8, 15-17
A	US 5 675 771 A (CURLEY JOHN L ET AL) 7 October 1997 (1997-10-07) column 4, line 16 -column 5, line 3 column 6, line 43-61 column 8, line 5-31	1-24
A	US 5 694 595 A (JACOBS DWAYNE CHARLES ET AL) 2 December 1997 (1997-12-02) column 2, line 1-25 column 4, line 28 -column 5, line 38	1-24

INTERNATIONAL SEARCH REPORT

Information on patent family members

Initial International Application No

PCT/GB 00/00748

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
EP 0855659	A	29-07-1998	US 5961593 A CA 2222480 A JP 10254807 A	05-10-1999 22-07-1998 25-09-1998
US 5764890	A	09-06-1998	NONE	
US 5784463	A	21-07-1998	AU 5588198 A WO 9825375 A	29-06-1998 11-06-1998
US 5544322	A	06-08-1996	NONE	
US 5675771	A	07-10-1997	US 5983012 A AU 679775 B AU 7428994 A CA 2132900 A DE 69424842 D EP 0646865 A JP 7182180 A US 5572711 A US 5566326 A US 5664098 A	09-11-1999 10-07-1997 13-04-1995 29-03-1995 13-07-2000 05-04-1995 21-07-1995 05-11-1996 15-10-1996 02-09-1997
US 5694595	A	02-12-1997	NONE	